(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 6 January 2005 (06.01.2005)

PCT

(10) International Publication Number WO 2005/002254 A1

- (51) International Patent Classification⁷: H04Q 7/24, 7/32
- (21) International Application Number:

PCT/IB2003/002532

- (22) International Filing Date: 30 June 2003 (30.06.2003)
- (25) Filing Language:

English

(26) Publication Language:

English

- (71) Applicant (for all designated States except US): NOKIA CORPORATION [FI/FI]; Keilalahdentie 4, FIN-02150 Espoo (FI).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): NEVALAINEN, Mikko [FI/DE]; Birnenbruchstrasse 11A, 44628 Herne (DE).
- (74) Agent: KURIG, Thomas; Becker, Kurig, Straus, Bavariastrasse 7, 80336 München (DE).


- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: METHOD AND DEVICE FOR AUTOMATICALLY CONNECTING A MOBILE TERMINAL DEVICE TO A CELLULAR NETWORK SERVER BY MEANS OF AN INTERCHANGEABLE MEMORY



(57) Abstract: The invention relates to a method for automatically connecting a mobile terminal device to a remote cellular network server, said mobile terminal device having an interface for connecting an interchangeable memory and having a cellular network interface, wherein a network address of said server can be retrieved, comprising the steps of detecting that an interchangeable memory has been connected to said mobile terminal, retrieving said network address of said server, and setting up a connection to said server via said network.

